# **Spears Racing Universal Damper**



#### Note!

Please note that during storage and transport, especially at high ambient temperature, some of the oil and grease used for assembly may leak and stain the packaging. This will not cause damage to the product, wipe off the excessive oil or grease with a cloth.

Kit Contents		
Description	Part No	Pcs
Sticker "Spears Racing"	SR-1	2
Bracket assembly	SP-1-BRKT	1
Steering damper 70mm	SP-1-70m	1
Owner's manual	On-Line	

#### Note!

Before you install this product, check the kit contents. If anything is missing, please contact Spears Racing.

#### ▲ Warning!

Before you install this product, read the complete Spears manual. This product is an important part of the vehicle and the vehicle stability.

### Steering damper universal 70 mm stroke



### **Mounting Instructions**



## **MOUNTING INSTRUCTIONS**

#### **∆** Warning!

If you working on a Bike that is lifted/track stands vehicle, make sure that it is safely supported to prevent it from tipping over.

#### Note!

When you work with this product, see the vehicle service manual for vehicle specific procedures and important data.

Install the bracket assembly (SP-1-BRKT) on the Spears steering damper. See the figure. Adjust the steering damper by letting it slide in its bracket assembly so that the steering damper uses the same stroke both ways.

#### Note!

Make sure that the steering has clearance for turning both to the left and to the right end positions, and that the damper is not used as a stop.

#### Caution!

Make sure that all screws are tightened to the correct torque and that nothing restricts the movement of the steering damper.



## **ADJUSTMENTS**

## **Warning!**

Before you ride/drive, always make sure that the setup is according to the recommended setup data. Contact an Spears Racing if you have any questions about setting up.

## This unit is for Close Course Racing Only







Spears Enterprises LLC/Spears Racing 15253 S.Inheritance Way Manteca Ca.95336 Ph:209-923-4684

### www.spearsenterprises.com