



Spears Racing Kawasaki Ninja500 Radiator Grille Guard (2024 Plus)

Congratulation, you purchased the best Radiator Grille Guard for your Kawasaki Ex400/Z400


1. Read these instructions with photos before you start. Check if the kit includes all parts listed below
2. Inspect your current OEM radiator for any debris,such as bugs,leaves or any damage, if you find any debris we recommend that you to do a lite clean with a "Paint Brush" style brush.(pic.a)
3. Once the Radiator is clean,locate the four mounting tabs to install the provided "Nut Clips"(pic.b)
4. Install the four(4) provided "Nut Clips" onto the OEM mounting tabs (pic.c)
5. Spears Racing Radiator Grille Guard (pic.d)
6. Turn the Spears Racing Radiator guard over, and install the provided rubber cushion strip (cut this in half) (pic.e,f)
7. Locate the m5 round headed bolts x4 and washers x4 (pic.g)
8. Install Spears Radiator guard with the supplied m5 round headed bolts and washers and torque these to 6nm or 53 inch pounds.(pic.h,i,j.)
9. Once your Spears Racing Grille Guard is installed, double check for the proper clearance is checked between the front of your radiator (core) and the back of the grille guard.
10. Remember that if you have any questions on the installation please email us @
spearsracing1@gmail.com or call us at (209)923-4684

LIST OF PARTS


- 1 pc. Spears Racing Radiator Grille Guard
 - 4 pcs. Nut Clips
 - 4 pcs. Flat Washers
 - 4 pcs. m5 Rounded Head Bolts
 - 1 pc Rubber cushion strip
- 1 pc.



Picture A (pic.a)




Picture B (pic.b)





Picture C (pic.c)



D (pic.d)





Picture E (pic.e)



Picture F (pic.f)






Picture G (pic.g)




Picture H (pic.h)





Picture I (pic.i)



Picture J(pic.j)

